INFO	Telaket SEE BO.	This material contains information affecting the
	RMATION REPORT	National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C.
PARED AND DISSE	MINATED BY	Secs. 793 and 794, the transmission or revelation of which in any manner to an unambated per-
CENTR	AL INTELLIGENCE AGENCY	son is prohibited by law.
ITRY		
Hungary ECT		DATE DISTRIBUTED 23 August 1957
	ria és Jármű Gyaŕ: Final Asse ary and Civilian Vehicles	NO. OF PAGES NO. OF ENCLS.
. Idno Ioi Iniii		SUPPLEMENT TO REPORT # 50X1-HUM
	THIS IS UNEVALUATED	O INFORMATION D, # 1724
		50X1-HUM
	Ika	rus Karosszéria és Jár <u>mü Cyar</u>
located i	n the northeast section of the	e city of Matyasidia, at the street address of this
plant was	Margit Ucca #12. Here bodies	s were made for and final
	was completed on buses, trucks	s and military chassic which
	en in from Csepel Luto, parts	
2. Civilian	production at the plant	was as follows:
۵.	The Tkarus 30%. This was a 3	O passenger bus which was used
	domestically but also exported	d to Poland, Cnina, Rumania. middle-eastern desert country
	East Germany, and to a	middle-cabbern deber
	rne e.	ngine were mounted on the chassis
	et Csenel Autogver and delive	ngine were mounted on the chassis red to plant where the body
	at Osepel Autogyer and delive was installed and final assem the *Tkarus 30"	red to plant where the body ably was done on the vehicle. was powered by an eight cylinder
	at Csepel Autogyer and delive was installed and final assem the "Ikarus 30" Diesel engine (although it ma	red to plant where the body ably was done on the vehicle. was powered by an eight cylinder by only have had six cylinders)
	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it ma which was produced at Csepel	red to plant where the body ably was done on the vehicle. was powered by an eight cylinder
	at Csepel Autogyer and delive was installed and final assem the *Tkarus 30" Diesel engine (although it ma which was produced at Csepel buses were produced daily.	mgine were mounted on the classis med to plant where the body bly was done on the vehicle. Was powered by an eight cylinder by only have had six cylinders. Autogyar. Three or four of these
b.	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it ma which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a	mgine were mounted on the classis med to plant where the body bly was done on the vehicle. Was powered by an eight cylinder my only have had six cylinders Autogyar. Three or four of these
b.	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was	ingine were mounted on the classis med to plant where the body ably was done on the vehicle. was powered by an eight cylinder by only have had six cylinders. Autogyar. Three or four of these 60 passenger bus which was used at to Poland, China, Rumania, tast designed for civilian use, but
b.	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to conve	ingine were mounted on the classis med to plant where the body bly was done on the vehicle. was powered by an eight cylinder by only have had six cylinders. Autogyar. Three or four of these 60 passenger bus which was used at to Poland, China, Rumania, tast designed for civilian use, but get it to military use as an
b.	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was a twould be possible to converging or troop carrier.	ingine were mounted on the classis med to plant where the body bly was done on the vehicle. Was powered by an eight cylinder by only have had six cylinders? Autogyar. Three or four of these 60 passenger bus which was used ad to Poland, China, Rumania, tast designed for civilian use, but ert it to military use as an Its Diesel engine was mounted
b.	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was a twould be possible to converging or troop carrier.	ingine were mounted on the classis med to plant where the body laby was done on the vehicle. was powered by an eight cylinder by only have had six cylinders. Autogram. Three or four of these 60 passenger bus which was used ad to Poland, China, Rumania, tast designed for civilian use, but left it to military use as an Its Diesel engine was mounted as was the engine of the "Ikarus 30".
	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to conve ambulance or troop carrier. at the front of the vehicle a Two to three were produced da The "Ikarus 55". This 55 pas	ingine were mounted on the classis med to plant where the body ably was done on the vehicle. Was powered by an eight cylinder by only have had six cylinders. Accopyar. Three or four of these 60 passenger bus which was used at to Poland, China, Rumania, tast designed for civilian use, but left it to military use as an Its Diesel engine was mounted as was the engine of the "Ikarus 30". Sesenger bus was powered by a Csepel
	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to conve ambulance or troop carrier. at the front of the vehicle a Two to three were produced da The "Ikarus 55". This 55 pas Autograp eight cylinder Diese	ingine were mounted on the classis med to plant where the body only was done on the vehicle. Was powered by an eight cylinder by only have had six cylinders. Autogyar. Three or four of these 60 passenger bus which was used at to Poland, China, Rumania, tast designed for civilian use, but but it to military use as an Its Diesel engine was mounted as was the engine of the "Ikarus 30". Sesenger bus was powered by a Csepel cal, but its engine was mounted in
	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to conve ambulance or troop carrier. at the front of the vehicle at Two to three were produced da The "Ikarus 55". This 55 pas Autogyar eight cylinder Diese the mean. This webicle was the	ingine were mounted on the classis med to plant where the body laby was done on the vehicle. Was powered by an eight cylinder by only have had six cylinders? Autogyar. Three or four of these 60 passenger bus which was used ad to Poland, China, Rumania, tast designed for civilian use, but left it to military use as an Its Diesel engine was mounted as was the engine of the "Ikarus 30". Sesenger bus was powered by a Csepel left, but its engine was mounted in page and streamlined in appearance
	at Csepel Autogyer and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to convert at the front of the vehicle at the front of the vehicle at Two to three were produced day. The "Ikarus 55". This 55 pas Autogyer eight cylinder Diese the rear. This vehicle was the tree model buses were of now	ingine were mounted on the classis med to plant where the body bly was done on the vehicle. Was powered by an eight cylinder by only have had six cylinders. Autogyar. Three or four of these 60 passenger bus which was used ad to Poland, China, Rumania, tast designed for civilian use, but ert it to military use as an Its Diesel engine was mounted as was the engine of the "Ikarus 30". Sesenger bus was powered by a Csepel el, but its engine was mounted in handsome and streamlined in appearance act, the engines and bodies on all the engines
	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to conve ambulance or troop carrier. at the front of the vehicle a Two to three were produced da The "Ikarus 55". This 55 pas Autogyar eight cylinder Diese the rear. This vehicle was h but was not well made. In fa three model buses were of poc were good for only 60 thousan	ingine were mounted on the classis med to plant where the body laby was done on the vehicle. Was powered by an eight cylinder by only have had six cylinders? Autogyar. Three or four of these 60 passenger bus which was used ad to Poland, China, Rumania, tast designed for civilian use, but but it to military use as an Its Diesel engine was mounted as was the engine of the "Ikarus 30". Sesenger bus was powered by a Csepel cel, but its engine was mounted in handsome and streamlined in appearance act, the engines and bodies on all the engines and kilometers of use. They had just
	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to conve ambulance or troop carrier. at the front of the vehicle a Two to three were produced da The "Ikarus 55". This 55 pas Autogyar eight cylinder Diese the rear. This vehicle was h but was not well made. In fa three model buses were of pow were good for only 60 thousan attented areducing the "Is55"	plant where the body blant where the body bly was done on the vehicle. was powered by an eight cylinder by only have had six
	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to conve ambulance or troop carrier. at the front of the vehicle a Two to three were produced da The "Ikarus 55". This 55 pas Autogyar eight cylinder Diese the rear. This vehicle was h but was not well made. In fa three model buses were of pow were good for only 60 thousan attented areducing the "Is55"	plant where the body blant where the body blant where the body blant where the body blant was done on the vehicle. was powered by an eight cylinder by only have had six cylinders by only have had six cylinders between the control of these 60 passenger bus which was used ad to Poland, China, Rumania, tast designed for civilian use, but but it to military use as an Its Diesel engine was mounted as was the engine of the "Ikarus 30". Active seenger bus was powered by a Csepel bel, but its engine was mounted in bandsome and streamlined in appearance act, the engines and bodies on all braudity. They had just in 1954 his model was to be available for
	at Csepel Autogyar and delive was installed and final assem the "Ikarus 30" Diesel engine (although it may which was produced at Csepel buses were produced daily. The "Ikarus 60". This was a domestically and also exporte Germany It was it would be possible to conve ambulance or troop carrier. Two to three were produced da The "Ikarus 55". This 55 pas Autogyar eight cylinder Diese the rear. This vehicle was but was not well made. In fa three model buses were of pow were good for only 60 thousan started producing the "I-55"	plant where the body blant where the body bly was done on the vehicle. was powered by an eight cylinder by only have had six

DISTRIBUTION STATE

C--O--N--F--I--D--E--N--T--I--A--L

-2-

occasionally an order would come down to have specified numbers of all these models be painted in khaki. Presumably these were destined for the military services.

- 3. Military vehicles were also assembled at Ikarus Karosszéria és Járma Gyar. They included:
 - a. The Csepel 300. This was a three ton truck designed primarily for military use, but which was also utilized in some civilian capacities. Those destined for the military were equipped with gasoline engines and those for civilian use with Diesels. As in the case of the buses, the truck chassis were driven in from Csepel Autogyar to have the bodies, cabs, etc, assembled. This truck had four-wheel drive and both the gasoline and Diesel engines turned over at high RPM's.
 - b. The "Coepel 350". This was a $3\frac{1}{2}$ ton truck with two rear axles. Some of the "350's" were adapted for dump-truck use /sic/.
 - c. Army ambulances. Five to six ambulances were produced daily each capable of carrying six patients. These were being sent to North Korea during the Korean War.

50X1-HUM

- d. Army Radio Cars "Hirado Kocsi". no details on these vehicles.
- e. Six to eight-man personnel carriers "Raj Kocsi".
- f. Gasoline trucks, "medical consultant trucks" and police cars were also assembled upon special order.

Ikarus Karosszéria és Jármi Gyar in 1954, there were approximately two thousand employees (300 of them clerical) working 50X1-HUM three eight hour daily shifts for five days a week. Only two shifts three eight hour daily shifts for five days a week. Only two shifts were worked on Saturday. There was no regular production rate set up for the military trucks but four to five could be produced daily with the facilities which existed in 1954.

50X1-HUM

5. sketch of Ikarus Karosszeria es Jarma Gyari

- a. Point #1. Main Gate. There were four or five plant guards on duty here. They checked passes when the workers entered and left the plant and "frisked" each employee upon his departure to see that nothing had been stolen.
- b. Point #2. Gas Station. This station evidently had a storage of considerable capacity since vehicles would gas up here daily for hundreds of miles of experimental driving.
- c. Point #3. Main Office. All the administrative and planning offices were located here.
- d. Point #4. The Press Workshop. Stamp presses with rubber beds were located in this workshop and it was here that the top sections of the radiators and many of the curved sections of the bus body were made.
- e. Point #5. Storage room. Ready-made items from other factories such as switches, headlights, etc, were stored here.

C-O-N-F-I-D-E-N-T-I-A-L

50X1-HUM

50X1-HUM

50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

-3-

50X1-HUM

- f. Point #6. Assembly Shop. Buses were assembled here.
- g. Point #7. Tire Storage Area.
- h. Point #8. Military Vehicle Assembly Shop. Experimentation as well as assembly went on here. they were building an experimental 10-ton truck in 1954.
- i. Point #9. Similar work was being done here as at point #8.
- j. Point #10. This was a coal-fired heating plant and not an electric power plant. There was no auxiliary electric power plant located at Ikarus Karosszéria és Jármā Gyar. Our electric power probably came from a plant in Budapest and no power failures of any significance.

50X1-HUM

- k. Point #11. Carpenter Shop.
- 1. Point #12. Seat Manufacturing Shop.
- m. Point #13. Discarded Parts Storage Area. Workers were rewarded if they could find a part in this scrap pile which could be used on another vehicle.
- n. Point #14. Radiator Workshop.
- o. Point #15. Sheet Metal Shop.
- p. Point #16. Sports Grounds.
- q. Point #17. Carpenter Shop.

50X1-HUM

- r. Point #18. Locksmith Shop.
- s. Point #19. Culture Hall
- t. Point #20. Cemetery

